

THE NEW CONCEPT IN PORTABLE PILOT UNITS

www.navicomdynamics.com



Navicom Dynamics
Precision Portable Navigation

P +64 9 915 5330

F +64 9 415 8361

E info@navicomdynamics.com

'The hottest new sensor system for pilots, in one convenient unit'

Great for:

- Channel Navigation
- River Pilotage
- All port approaches

Performance:

GPS ± 3 m (SBAS) (2 σ) ('two sigma')
HDG ± 0.75 (2 σ)
ROT $\pm 1^\circ/\text{min}$ (2 σ)
AIS built-in receiver (range >5nm)
Size 160 x 90 x 60 mm (6.3 x 3.5 x 2.4 inches approx.)
Weight 800 g (1.75 lbs)

Specifications:

Wireless position, heading, ROT and AIS sensor.
Complete independence from the pilot plug.
Battery life in excess of 15 hours.

- Designed for those discerning pilots who want independence from the ship's pilot plug.
- Heading to 0.1° and used for accurately representing the ship on the electronic chart.
- Independent and accurate ROT to predict future positions when turning.
- Full visibility of all AIS targets in the vicinity (including AIS aids to navigation)



Close to real size



www.navicomdynamics.com



Navicom Dynamics
Precision Portable Navigation

P +64 9 915 5330
F +64 9 415 8361

E info@navicomdynamics.com

